

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	525	(java or ( jit\$4 not jitter) ) and source and (native or ( machine adj language)) and journal\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 16:03
L2	8	((java or ( jit\$4 not jitter) ) near3 journal\$3) and source and (native or ( machine adj language)) and journal\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 16:14
L3	0	((java or ( jit\$4 not jitter) ) near3 (journal\$3 or journaling\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 16:14
L4	65	journal\$3 near3 native	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 16:16
L5	13	journal\$3 near3 compiled	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 16:17
L7	42	(compil\$5 near2 source) same (execut\$3 near3 (machine or native or jit) ) and ((compar\$4 or match\$3) near3 (date or time or timestamp or version\$3) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 16:27
L8	5	(compil\$5 near2 source) same (execut\$3 near3 (machine or native or jit) ) and ((compar\$4 or match\$3) near3 (date or time or timestamp or version\$3) ) and journal\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 16:20
L9	36	(compil\$5 near2 source) same (execut\$3 near3 (machine or native or jit) ) and (jvm or vm or (virtual adj machine)) and ((compar\$4 or match\$3) near3 (dat\$3 or tim\$3 or timestamp\$3 or version\$3) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 16:30
L10	12	(compil\$5 near2 source) same (execut\$3 near3 (machine or native or jit) ) and (jvm or vm or (virtual adj machine)) and (jit or aot or waot) and ((compar\$4 or match\$3) near3 (dat\$3 or tim\$3 or timestamp\$3 or version\$3) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 16:47

L11	494	(aot or waot or wat or jit) and ((virtual adj machine ) or vm or jvm)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 16:48
L12	29	(aot or waot or wat ) and ((virtual adj machine ) or vm or jvm)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 16:48
L13	27	l12 not l10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 16:51
L14	192	compil\$5 near3 (java or class or source) and (vm or jvm or (virtual adj machine) ) and journal\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 16:52
L15	55	compil\$5 near3 (java or class or source) and (vm or jvm or (virtual adj machine) ) and journal\$3 and (aot or wat or jit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 16:52
S1	1	compil\$5 near3 ((machine or native or binary or executable) adj (language or code)) same (date or dating or time-stamp\$3 or timestamp\$3) same jit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/24 07:58
S2	1	compil\$5 near3 ((machine or native or binary or executable) adj (language or code)) same timestamp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/24 08:04
S3	13	((machine or native or binary or executable) adj (language or code)) same timestamp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/24 08:02
S4	3	((machine or native or binary or executable) adj (language or code)) same time-stamp	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/24 08:03
S5	842	((machine or native or binary or executable) adj (language or code)) same (date or dating)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/24 08:04

S6	45	compil\$5 near3 ((machine or native or binary or executable) adj (language or code)) same (date or dating)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/24 08:04
S7	3	compil\$5 near3 ((machine or native or binary or executable) adj (language or code)) same (date or dating) and jit\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/24 08:07
S8	45	compil\$5 near3 ((machine or native or binary or executable) adj (language or code)) same (date or dating)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/24 08:08
S9	8	compil\$5 near3 ((machine or native or binary or executable) adj (language or code)) same persisten\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/24 08:13
S10	1568	source near5 (matches or associat\$3 or relat\$3 or maps) near5 (persistent or stored )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/24 08:12
S11	466	source near5 (matches or associat\$3 or relat\$3 or maps) near5 (persistent or stored ) and (timestamp or time-stamp or date)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/24 08:20
S12	0	(source near5 ( matches or associat\$3 or relat\$3 or maps) near5 (persistent or stored )) ) same jit\$4 and (timestamp or time-stamp or date)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/24 08:13
S13	85	source near5 (matches or associat\$3 or relat\$3 or maps) near5 (persistent or stored ) and (timestamp or time-stamp or date) and (jit\$4 or java or bytecode or byte-code or (byte adj code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/24 08:21
S14	8	source near5 (matches or associat\$3 or relat\$3 or maps) near5 (persistent or stored ) and (timestamp or time-stamp or date) same (jit\$4 or java or bytecode or byte-code or (byte adj code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/24 08:22
S15	4	("6484313" "6654954").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/24 08:54

S16	1	"6654954".URPN.	USPAT	OR	OFF	2004/08/24 08:23
S17	9	("5047918"   "5590331"   "5768593"   "5819275"   "5854932"   "5878262"   "5905895"   "5966539"   "5978815").PN.	USPAT	OR	OFF	2004/08/24 08:23
S18	0	"6484313".URPN.	USPAT	OR	OFF	2004/08/24 08:28
S19	5	("6112025"   "6157948"   "6158048"   "6289506"   "6324688").PN.	USPAT	OR	OFF	2004/08/24 08:28
S20	13	java and journaled	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/24 08:55
S21	141	717/148.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/01 12:06
S22	97	rom and ram and (power adj fluctuations)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/01 12:07
S23	2499	(vm or jvm or jit) and rom	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/01 12:08
S24	118	(vm or jvm or jit) same ( stor\$3 near5 (rom or nonvolatile or flash) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/01 15:51
S25	0	"6446254".URPN.	USPAT	OR	OFF	2004/03/01 12:37
S26	17	("6006231"   "6012068"   "6025826"   "6026405"   "6061057"   "6083279"   "6112304"   "6121903"   "6144992"   "6161107"   "6166729"   "6230184"   "6281874"   "6301582"   "6330709"   "6349344"   "6349404").PN.	USPAT	OR	OFF	2004/03/01 12:38
S27	76	( jit\$4) same ( stor\$3 near5 (rom or nonvolatile or flash or non-volatile or eeprom) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/01 16:00

S28	10	( jit\$4 not jitter) same ( stor\$3 near5 (rom or nonvolatile or flash or non-volatile or eeprom) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/01 16:05
S29	1955	(java or ( jit\$4 not jitter) ) and link\$3 same (rom or ram )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 16:02
S30	495	(java or ( jit\$4 not jitter) ) and link\$3 same (rom and ram )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/01 16:08
S31	22	(java or ( jit\$4 not jitter) ) and link\$3 same (rom and ram ) same determin\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/01 16:14
S32	16	updat\$3 same ( smart adj card) and ( (jit\$4 or just-in-time or (just near2 time) ) not jitter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/01 16:29
S33	501	updat\$3 same ( (jit\$4 or just-in-time or (just near2 time) ) not jitter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/01 16:30
S34	164	updat\$3 same ( (jit\$4 or just-in-time or (just near2 time) ) not jitter) and stor\$3 same (rom or eeprom or static\$4 or persistent or permanent )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/02 07:59
S35	0	((source near5 jit) same stor\$3 ) near3 ( ram or nonvolatile or non-volatile or ( permanent or static ) adj memory) or eeprom )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/02 08:03
S36	0	((source near5 ( jit or just-in-time or (just near2 time) ) ) same stor\$3 ) near3 ( ram or nonvolatile or non-volatile or ( permanent or static ) adj memory) or eeprom )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/02 08:04
S37	3	((source near5 ( jit or just-in-time or (just near2 time) ) ) same stor\$3 ) same ( ram or nonvolatile or non-volatile or ( permanent or static ) adj memory) or eeprom )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/02 08:05

S38	163	(aot or wat) and compil\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/03 09:35
S39	22	(aot or wat)same compil\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/03 10:01
S40	4	("5999737"   "6101325"   "6110226"   "6151618").PN.	USPAT	OR	OFF	2004/03/03 09:42
S41	9	("5375242"   "5551039"   "5581696"   "5590331"   "5664172"   "5768593"   "5812854"   "5836014"   "5946487").PN.	USPAT	OR	OFF	2004/03/03 09:45
S42	17	"6110226".URPN.	USPAT	OR	OFF	2004/03/03 09:46
S43	28	"ahead of time" or "ahead-of-time"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/03 10:02
S44	10	("ahead of time" or "ahead-of-time" ) and compil\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/03 16:14
S45	220	719/331.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/03 16:14
S46	97	719/332.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/03 16:17
S47	10	("5815718" "5923880" "5978585" "6349344" "6446254").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/03 16:19
S48	2779	compil\$5 near5 (machine adj (language or code)) and (dat\$3 or time or time-stamp\$3 or timestamp\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/23 17:08

S49	2713	compil\$5 near5 (machine adj (language or code)) and (date o dating or time or time-stamp\$3 or timestamp\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/23 17:08
S50	1815	compil\$5 near3 (machine adj (language or code)) and (date or dating or time or time-stamp\$3 or timestamp\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/23 17:08
S51	324	compil\$5 near3 (machine adj (language or code)) same (date or dating or time or time-stamp\$3 or timestamp\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/23 17:09
S52	98	compil\$5 near3 (machine adj (language or code)) same (date or dating or time or time-stamp\$3 or timestamp\$3) and jit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/24 07:55
S53	1	"6438677".URPN.	USPAT	OR	OFF	2004/08/23 17:27